

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations SDS ID: 31440 Issue date: 6/22/2023 Version: 1.0

## **SECTION 1: Identification**

#### 1.1. Identification

Product form Product name : Mixture

: Castrol SAE 30 Small Engine Oil

1.2. Recommended use and restrictions on use

#### No additional information available

## 1.3. Supplier

Lubrication Technologies, Inc 900 Mendelssohn Ave N Golden Valley, MN, 55427 USA T 800-636-7990 www.lubetech.com

### 1.4. Emergency telephone number

Emergency number

: 1-800-424-9300 (CHEMTREC)

# SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

#### **GHS US classification**

Not classified

2.2. GHS Label elements, including precautionary statements

#### GHS US labeling

No labeling applicable

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

No additional information available

## **SECTION 3: Composition/Information on ingredients**

3.1. Substances

### Not applicable

3.2. Mixtures

05-29-8 0.5 – 5	Skin Irrit. 2, H315 Eye Dam. 1, H318

# Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Call a poison center/doctor/physician if you feel unwell. First aider: Pay attention to self- protection.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Seek medical attention if ill effect or irritation develops.
First-aid measures after skin contact	: Seek medical attention if ill effect or irritation develops. Wash skin with plenty of water.
First-aid measures after eye contact	: Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Rinse cautiously with water for several minutes.
First-aid measures after ingestion	: Do not induce vomiting. Rinse mouth. If you feel unwell, seek medical advice.
4.2. Most important symptoms and effects (acute and delayed)	
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
4.3. Immediate medical attention and s	special treatment, if necessary

## Treat symptomatically.

SECTION 5: Fire-fighting measures		
5.1. Suitable (and unsuitable) extinguishing	) media	
Suitable extinguishing media Unsuitable extinguishing media	<ul> <li>Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2). Water spray. Dry powder.</li> <li>Foam. Carbon dioxide.</li> <li>Do not use a heavy water stream.</li> </ul>	
5.2. Specific hazards arising from the chemical		
Fire hazard	: vapors may cause fire/explosion if source of ignition is present. Watch out for invisible flames. The vapors are denser than air and may travel along the ground. Distance ignition possible.	
5.3. Special protective equipment and precautions for fire-fighters		
Firefighting instructions	Evacuate area. Use water spray or fog for cooling exposed containers. Do not allow water to enter the vessels, a violent reaction may occur. Eliminate all ignition sources if safe to do so. Fight fire from safe distance and protected location. In case of fire: Stop leak if safe to do so.	
Protection during firefighting Other information	<ul> <li>Do not enter fire area without proper protective equipment, including respiratory protection.</li> <li>High temperature decomposition products are harmful by inhalation. On exposure to high temperature, may decompose, releasing toxic gases.</li> </ul>	

SECTION 6: Accidental release me	easures
6.1. Personal precautions, protective equipment and emergency procedures	
General measures	Clean up any spills as soon as possible, using an absorbent material to collect it. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Eliminate every possible source of ignition. Evacuate area.
6.1.1. For non-emergency personnel	
Protective equipment	: Avoid contact with skin, eyes and clothing. Wear recommended personal protective equipment.
Emergency procedures	: Evacuate unnecessary personnel. Do not breathe vapors. No open flames, no sparks, and no smoking.
6.1.2. For emergency responders	
Protective equipment	: Wear recommended personal protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Emergency procedures

: Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

# 6.2. Environmental precautions

Do not allow to enter drains or water courses. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for cont	tainment and cleaning up
For containment	Stop leak, if possible without risk. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up	: Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel). Take up mechanically (sweeping, shoveling) and collect in suitable container for disposal. This material and its container must be disposed of in a safe way, and as per local legislation. Clear up rapidly by scoop or vacuum.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Not expected to present a significant hazard under anticipated conditions of normal use.
Precautions for safe handling	Ensure good ventilation of the work station. Do not breathe vapors. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Handling temperature	: ≤ 140 °F
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wear personal protective equipment. Take off immediately all contaminated clothing and wash it before reuse. Separate working clothes from town clothes. Launder separately.
7.2. Conditions for safe storage, including any incompatibilities	
Storage conditions	: Store in a well-ventilated place. Keep container tightly closed. Keep only in original container.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

USA - ACGIH - Occupational Exposur	Limits	
ACGIH OEL TWA	5 mg/m <sup>3</sup> Contains highly refined petroleum oil	
USA - OSHA - Occupational Exposure	Limits	
OSHA PEL (TWA) [1]	5 mg/m <sup>3</sup> Contains highly refined petroleum oil	
OSHA PEL (STEL) [1]	10 mg/m <sup>3</sup> Contains highly refined petroleum oil	

# Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2. Appropriate engineering controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Environmental exposure controls	: Avoid release to the environment.
8.3. Individual protection measures/Pe	rsonal protective equipment
Personal protective equipment: Wear recommended personal protective equipr	ment.
Hand protection:	
Protective gloves. nitrile rubber gloves	
Eye protection:	
Chemical goggles or safety glasses	
Skin and body protection:	
Wear suitable protective clothing. Wear imperv	vious rubber safety shoes. Chemical resistant apron
Respiratory protection:	
In case of inadequate ventilation wear respirat	ory protection.

### Personal protective equipment symbol(s):



## **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Color	: amber
Odor	: mild
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 238 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: 0.8786 @ 15.6°C
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: 87 mm²/s @ 40°C
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

### Stable under normal conditions.

10.3. Possibility of hazardous reactions

#### None under normal use.

10.4. Conditions to avoid

High temperature.

10.5. Incompatible materials

Acids. Oxidizing agent.

10.6. Hazardous decomposition products

fume. Carbon dioxide. Carbon monoxide.

SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity (oral):Acute toxicity (dermal):Acute toxicity (inhalation):	Not classified Not classified Not classified
ZINC ALKYL DITHIOPHOSPHATE (84605-29-	3)
LD50 dermal rat	> 2002 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal rabbit	> 2002 mg/kg Source: ECHA
LC50 Inhalation - Rat	> 2.3 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
LC50 Inhalation - Rat (Vapours)	> 2.3 mg/l Source: ECHA
Skin corrosion/irritation :	Not classified
Serious eye damage/irritation :	Not classified.
Respiratory or skin sensitization :	Not classified
Germ cell mutagenicity :	Not classified
Carcinogenicity :	Not classified
Reproductive toxicity :	Not classified
STOT-single exposure :	Not classified
STOT-repeated exposure :	Not classified
ZINC ALKYL DITHIOPHOSPHATE (84605-29-	3)
NOAEL (oral,rat,90 days)	160 mg/kg body weight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
Aspiration hazard :	Not classified

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Viscosity, kinematic

: 87 mm²/s @ 40°C

Symptoms/effects

: Not expected to present a significant hazard under anticipated conditions of normal use.

**SECTION 12: Ecological information** 12.1. Toxicity **Castrol SAE 30 Small Engine Oil** LC50 - Fish [1] > 100 mg/l LC50 - Other aquatic organisms [1] > 100 mg/l ZINC ALKYL DITHIOPHOSPHATE (84605-29-8) LC50 - Fish [1] 4.5 mg/l Source: ECHA LC50 - Fish [2] 46 mg/l Test organisms (species):

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

ZINC ALKYL DITHIOPHOSPHATE (84605-29-8)	
Partition coefficient n-octanol/water (Log Pow)	0.56 Source: ECHA
12.4. Mobility in soil	
No additional information available	

No additional information available

# **SECTION 13: Disposal considerations**

13.1. Disposal methods	
Regional legislation (waste)	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.
Additional information	: Clean up even minor leaks or spills if possible without unnecessary risk. Do not re-use empty containers.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transpo	SECTION 14: Transport information			
In accordance with DOT				
14.1. UN number				

14.1. UN DOT NA No

: Not regulated

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.2. UN proper shipping name	
Proper Shipping Name (DOT)	: Not regulated
14.3. Transport hazard class(es)	
<b>DOT</b> Transport hazard class(es) (DOT)	: Not regulated
14.4. Packing group	
Packing group (DOT)	: Not regulated
14.5. Environmental hazards	
Other information	: No supplementary information available.
14.6. Special precautions for user	
DOT Not regulated	
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	

Not applicable

## SECTION 15: Regulatory information

## 15.1. US Federal regulations

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Name	CAS-No.	<b>J</b>	Commercial status	Flags
ZINC ALKYL DITHIOPHOSPHATE	84605-29-8	Present	Active	

15.2. International regulations

## CANADA

## ZINC ALKYL DITHIOPHOSPHATE (84605-29-8)

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

No additional information available

### National regulations

No additional information available

15.3. US State regulations

No additional information available

## **SECTION 16: Other information**

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phra	Full text of H-phrases	
H315	Causes skin irritation	

# Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases				
H318	Causes serious eye damage			
NFPA health hazar	rd : 1 - Materials that, under emergency conditions, can cause significant irritation.			
NFPA fire hazard	: 2 - Materials that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur.			
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.			
Hazard Rating				
Health	: 1 Slight Hazard - Irritation or minor reversible injury possible			
Flammability	: 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)			
Physical	<ul> <li>0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.</li> </ul>			
Personal protection	ection : B - Safety glasses, Gloves			

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.